

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7199726").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 11:30
L2	1	("6199726").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 11:30
L3	1	("7225207").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 11:37
L4	1	3 and usage	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 11:54
L5	1	3 and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 11:56
L6	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/29 13:24
L7	1	6 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:24
L8	1	6 and client	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:25
L9	0	6 and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:30
L10	0	6 and (readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:30
L11	0	6 and (signal or carrier or wave)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/29 13:32

S1	1	("6993661").PNL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/16 12:01
S2	65880	nfs	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/02/16 12:02
S3	803	S2 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:03
S4	139	S3 and (file near3 handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:03
S5	139	S3 and (file near3 handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:04
S6	139	S5 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:05
S7	106	S6 and meta\$1data	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:13
S8	5	S7 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:05
S9	101	S7 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	AND	ON	2007/02/16 12:13
S10	51	("6324581").URPN.	USPAT	OR	OFF	2007/02/16 12:35
S11	17	S10 and (file with handle)	USPAT	OR	ON	2007/02/16 12:35
S12	2	S11 and proxy	USPAT	OR	ON	2007/02/16 12:36
S13	2	S12 and (nfs or "network file system")	USPAT	OR	ON	2007/02/16 12:36
S14	1	(US-6324581-\$).did.	USPAT	OR	OFF	2007/02/16 12:42
S15	0	S14 and timer	USPAT	OR	ON	2007/02/16 12:42
S16	1	S14 and tim\$3	USPAT	OR	ON	2007/02/16 12:42

S17	1	(US-6324581-\$.).did.	USPAT	OR	OFF	2007/02/16 14:32
S18	1	S17 and exchang\$3	USPAT	OR	OFF	2007/02/16 14:40
S19	1	S17 and (file with handle) and id	USPAT	OR	OFF	2007/02/16 14:40
S20	1	S17 and (file with handle) and id	USPAT	OR	ON	2007/02/16 14:40
S21	1	S17 and ((file with handle) same id)	USPAT	OR	ON	2007/02/16 15:07
S22	1	S17 and nfs	USPAT	OR	ON	2007/02/16 15:21
S23	0	S17 and stateless	USPAT	OR	ON	2007/02/16 15:21
S24	1	S17 and protocol	USPAT	OR	ON	2007/02/16 15:28
S25	0	S17 and (meta\$1data with (file near3 handle))	USPAT	OR	ON	2007/02/16 15:29
S26	0	S17 and (meta\$1data with file with handle)	USPAT	OR	ON	2007/02/16 15:29
S27	1	S17 and (meta\$1data same (file with handle))	USPAT	OR	ON	2007/02/16 15:31
S28	1	S17 and (file with handle)	USPAT	OR	ON	2007/02/16 15:31
S29	1	(US-6324581-\$.).did.	USPAT	OR	OFF	2007/07/24 14:44
S30	1	S29 and (file with handle)	USPAT	OR	ON	2007/07/24 14:47
S31	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/07/24 14:47
S32	1	S31 and (file with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/07/24 14:47
S33	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/08/04 20:48
S34	1	S33 and (file with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/08/04 20:48
S35	62	("6324581").URPN.	USPAT	OR	OFF	2007/08/04 20:48

S36	5	(US-20040255048-\$ or US-20040162808-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/27 20:58
S37	5	S36 and nfs	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 20:59
S38	0	S37 and (session near2 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 20:59
S39	2	S37 and (session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 20:59
S40	0	S36 and (file with handle with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 21:05
S41	5	S36 and (file with handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 21:08
S42	5	S36 and (file near2 handle)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/27 21:08
S43	5	(US-20040255048-\$ or US-20040162808-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/28 11:05
S44	0	S43 and (file with handle with session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:17
S45	3	nfs and ((file near1 handle) with (session near2 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:18
S46	2	S45 and @ad<"20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:22
S47	1	(US-20050091487-\$).did.	US-PGPUB	OR	OFF	2008/02/28 11:35

S48	3	S45 and5 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:35
S49	1	S47 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:35
S50	0	S47 and (session with key with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:36
S51	1	S47 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:36
S52	1	S47 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:39
S53	0	S47 and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:40
S54	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/28 11:43
S55	1	S54 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:44
S56	1	S54 and (file with identity)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:44
S57	1	S54 and expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:45
S58	0	S54 and ("not" with send \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:46
S59	0	S54 and ("doesn't" with send\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:46

S60	0	S54 and (eliminat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:46
S61	1	S54 and (eliminat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:47
S62	1	proxy with (file near2 (header or handle)) with (session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:48
S63	92	nfs and ((session near2 key) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:49
S64	67	S63 and proxy	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:50
S65	41	S64 and @ad<"20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:50
S66	41	S65 and server and client	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:50
S67	0	S66 and ((session near2 key) with time with expir \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:51
S68	41	S66 and ((session near2 key) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 11:56
S69	21	nfs and (proxy with (file near2 (handle or header)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 12:18
S70	16	S69 and @ad<"20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 12:18
S71	0	bojinov-h.in. and "the file handle with the metadata"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:00

S72	0	horashi-i.in. and "the file handle with the metadata"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:01
S73	0	hiroshi-i.in. and "the file handle with the metadata"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:01
S74	0	hiroshi-i.in. and ("the file handle" near1 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:01
S75	0	wood-robert.in. and ("the file handle" near1 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S76	0	wood-robert.in. and ("the file handle" near2 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S77	0	plotkin.in. and ("the file handle" near2 "the metadata")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S78	314	plotkin.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S79	29	plotkin-serge.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S80	5	S79 and metadata	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 13:02
S81	0	S79 and metadata	USPAT	OR	ON	2008/02/28 13:03
S82	1	((US-20050033988-\$).did.	US-PGPUB	OR	OFF	2008/02/28 14:14
S83	0	S82 and ((receiv\$3 or send \$3 or sent) with proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:14
S84	0	S82 and (request with proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:15

S85	1	S82 and (request\$3 with proxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:15
S86	1	S82 and nfs	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:36
S87	0	S82 and stateless	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:37
S88	1	S82 and (key with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:57
S89	0	S82 and (session)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 14:58
S90	1	("20050210072").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2008/02/28 15:01
S91	0	S90 and ("not" with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 15:09
S92	1	S90 and (send\$3 with metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 15:09
S93	1	S90 and (session with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 15:45
S94	9	(US-20040255048-\$ or US-20040162808-\$ or US-20050091487-\$ or US-20040123159-\$ or US-20050033988-\$ or US-20040054777-\$).did. or (US-6931450-\$ or US-6389420-\$ or US-6324581-\$).did.	US-PGPUB; USPAT	OR	OFF	2008/02/28 18:56
S95	0	S94 and (session with key with expir\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 18:58

S96	184	(session near2 key) with expir\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 19:00
S97	3	(session near2 key) with expir\$5 with file	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 19:00
S98	1633	(session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 19:01
S99	92	nfs and (session near2 key) with time	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:21
S100	62	S99 and @ad<"20040317"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:21
S101	38	S100 and (expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:22
S102	33	S100 and (session with expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:22
S103	3	S100 and (session with key with expir\$5 with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/02/28 20:22

2/29/2008 2:17:21 PM

C:\Documents and Settings\gcolan\My Documents\EAST\Workspaces\case10803788.wsp